

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.	10/749,120	Art Unit:	1644
Applicant:	Boyd	Examiner:	David A. Saunders, Ph.D.
Date Filed:	December 30, 2003	Conf. No.:	3284
Docket No.:	NOR-015CP2/286336.154US1	Cust. No.:	23483
Title:	DIAGNOSTIC INDICATOR OF THYMIC FUNCTION		

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CONTINUED EXAMINATION PURSUANT TO 37 C.F.R. § 1.114

Sir:

As prosecution in the above-referenced application is closed as defined under 37 C.F.R. § 1.114 (b), Applicant respectfully requests continued examination of the above-referenced application.

In connection with the Request for Continued Examination ("RCE") submitted herewith, Applicant provides a Response to the Final Office Action of *February 21, 2008*, as the submission required under 37 C.F.R. § 1.114(a). In response to the Final Office Action of *February 21, 2008*, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims, which begins on *page 2* of this paper.

Remarks begin on *page 12* of this paper.

Reconsideration of this application in light of the foregoing is respectfully requested.